



Consumables

2025





Consumables

Whakatange



Neutral Cure
Silicone



Sanitary Silicone



Coolroom
Silicone



High Temp
Silicone



Fire Rated
Silicone



Expanding Foam



Fire Foam



Caulking Guns



Wipes and Rags



Epoxy and
Adhesives



Cable Pulling
Lubricants



Paints

ESC SILICONE / ADHESIVE/ FOAM - SELECTION GUIDE



Code	ZBSGW	ZB333C	ZBPRG	ZB333BK	ZB6ST	ZBMSW	R922	ZBGF	ZBFRA	ZBMBW	ZBNN	ZBSMP60GRY	ZBEF	ZBFRF
Description	Sabre Seal SG Sanitary Silicone	Sabre Seal SG Sanitary Silicone	Sabre Seal NC Silicone	Sabre Seal NC Silicone	Sabre Seal CR Silicone	Sabre Seal MS Facade	Sabre Seal HT High-Temperature Silicone	Sabre Seal GP Multipurpose Gap Filler	Sabre Seal FRA Sealant	Sabre Seal MB Non Skinning Sealant	Sabre Fix PS Adhesive	Sabre Bond SMP60	Sabre Fix Expanding foam	Sabre Fix Fire Rated Expanding Foam
Colour	White	Clear	Clear	Black	Grey	White	Clear	White	White	White	Beige	Grey	Yellow	Pink
Size & Type	300ml Caulk Tube	300ml Caulk Tube	300ml Caulk Tube	300ml Caulk Tube	300ml Caulk Tube	300ml Caulk Tube	300ml Caulk Tube	300ml Caulk Tube	300ml Caulk Tube	300ml Caulk Tube	375ml Caulk Tube	290ml Caulk Tube	750ml Can with Straw	750ml Can with Straw
Application	Bathrooms, Washrooms, Kitchens & any associated fixtures or Tiles	Bathrooms, Washrooms, Kitchens & any associated fixtures or Tiles	General Silicone needs, sealing or bonding a range of materials	General Silicone needs, sealing or bonding a range of materials	Cleanroom or Sanitary applications in Hospitals, Laboratories and other Critical areas	Heavy Duty flexible adhesive/sealant. Paintable & UV resistant, suitable for a wide range of indoor/outdoor applications.	When a heat tolerant silicone that is resistant to heat-induced shrinking or cracking is needed	General Purpose Filler and sealant for Painting & Decorating	Sealing fire penetrations and keeping a fire-resistant rating	Non drying polybutene rubber based mastic	Premium Grade Construction adhesive	Industrial and Marine Grade High Grab Adhesive	Polyurethane foam for most building applications	Polymer fire rated foam for most building applications
Adhesion to Glass, Metals, Wood, Plastics & Ceramics	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Permanent Flexibility	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Paintable														
Anti-Mould / Fungal	✓	✓			✓									
Chemical Resistance						✓								
Safe for use on Sensitive Materials	✓	✓	✓	✓	✓	✓		✓				✓		
Working Time	10 - 20 mins	10 - 20 mins	10 - 20 mins	10 - 20 mins	30 mins	20 - 40 mins	5 - 10 mins	10 mins	10 mins	Non - Skinning	20 mins	20 mins	8 - 12 mins tack time	6 - 10 mins tack time
Full Cure Time	24 hrs	24 hrs	24 hrs	24 hrs	24 hrs	24 hrs	24 hrs	1 hrs	72 - 120 hrs	N/A	72 - 120 hrs	24 hrs	16 hrs	16 hrs
Application Temperature Range	+5°C to +40°C	+5°C to +40°C	+5°C to +40°C	+5°C to +40°C	+5°C to +35°C	+5°C to +35°C	-20°C to +50°C	+5°C to +40°C	+5°C to +40°C	+5°C to +40°C	+5°C to +40°C	+5°C to +40°C	-10 to +30	-10 to +30
Working Temperature Range	-50°C to +150°C	-50°C to +150°C	-50°C to +150°C	-50°C to +150°C	-50°C to +120°C	-50°C to +150°C	Up to +250°C	-15°C to +75°C	4hr fire resistance	-40°C to +80°C	-20°C to +90°C	-20°C to +90°C	-50°C to +90°C	-50°C to +90°C
Notes	Standard Anti-Fungal silicone	Standard Anti-Fungal silicone	Standard Silicone used for most applications	Standard Silicone used for most applications	Cool Room and sanitary areas - Comes only in grey to match poly panel / freezer walls - MPI Rated for use in dairy and food industries	Very strong silicone with excellent adhesion and UV properties - Paintable	For when a heat tolerant silicone is needed	Filler and sealant for Painting & Decorating	Used for sealing fire penetrations	Commonly used in Coolroom and prefabricated construction	Interior / Exterior High Bond Strength Fast Cure Bonds to most surfaces Masts AS2329 for Wallboard fixing	Natural Adhesive interior / Exterior Specialist Industrial bonding UV Stabilised	Great for sealing of joints. OK with PVC cables	Professional fire protection foam - fire doors, windows, walls etc



Sabre

PO BOX 816, Hamilton 3240
38D Northway Street
Hamilton 3200
sales@electrical.co.nz
+64 7 849 9119
0800 350 000

Sabre Silicones

Sabre Seal NC Neutral Cure Silicone

Cost effective low modulus, neutral cure RTV silicone sealant that adheres to a wide range of both porous and non-porous surfaces without the need for priming.

ESC Code	Description	Size	Type	Colour	Application	UOM
ZBPRG	Sabre Seal NC Silicone - Translucent - 300ml	300ml	Caulk Tube	Clear	Standard Silicone for General Use	Tube
ZB333BK	Sabre Seal NC Silicone - Black - 300ml	300ml	Caulk Tube	Black	Standard Silicone for General use	Tube



Sabre Seal SG Sanitary Silicone

Mildew resistant (anti-fungal), neutral cure silicone sealant formulated specifically for sanitary-grade applications where high humidity and temperature exist. It will bond to form a durable, flexible, waterproof seal on most common wet area building materials.

ESC Code	Description	Size	Type	Colour	Application	UOM
ZBSGW	Sabre Seal SG Sanitary Silicone - White - 300ml	300ml	Caulk Tube	White	Anti-Fungal Silicone	Tube
ZB333C	Sabre Seal SG Sanitary Silicone - Clear - 300ml	300ml	Caulk Tube	Clear	Anti-Fungal Silicone	Tube



Sabre Seal CR Coolroom Silicone

High quality neutral, elastic, specifically developed for critical applications such as hospitals, laboratories, pharmaceutical industry and in food safe applications.

ESC Code	Description	Size	Type	Colour	Application	UOM
ZB6ST	Sabre Seal CR Silicone Titania	300ml	Caulk Tube	Grey	Cool Room & Sanitary Areas	Tube



Sabre Seal HT High Temperature Silicone

Formulated for heavy-duty applications. It makes reliable 'formed-in-place' gasket that resists cracking, shrinking and migration caused by thermal cycling. Also used to seal, bond, repair, mend and secure glass, metals plastics, fabrics and some vinyls. Resists up to 250°C

ESC Code	Description	Size	Type	Colour	Application	UOM
R922	Sabre Seal HT High-Temperature Silicone - Transparent - 300ml	300ml	Caulk Tube	Clear	For when a heat tolerant silicone is needed	Tube



Sabre Seal MS Facade Sealant

Durable elastic hybrid sealant for use in high movement joints. For use as an adhesive/sealant on concrete construction joints, ACM cladding, facades, joinery, HVAC, coolstore, marine, roofing, spouting and insulation. Specially formulated for high UV resistance and long term performance on porous and non-porous substrates.

ESC Code	Description	Size	Type	Colour	Application	UOM
ZBMSW	Sabre Seal MS Facade - White - 300ml	300ml	Caulk Tube	White	High Strength and UV Stabilised	Tube



Sabre Sealants

Sabre Seal GP Multipurpose Gap Filter

Multipurpose Gap Filler is an all purpose water-based acrylic sealant for sealing and flexible filling of low movement joints both indoors and outdoors. It has high flexibility and is paintable, enabling it to withstand slight movements and vibrations.

ESC Code	Description	Size	Type	Colour	Application	UOM
ZBGF	Sabre Seal GP Multipurpose Gap Filler - White - 300ml	300ml	Caulk Tube	White	Filler and Sealant for Painting & Decorating	Tube



Sabre Seal FRA Sealant

Sabre Seal FRA is a water-based acrylic fire retardent sealant that provides movement capability for fire-rated joint applications. Sabre Seal FRA has a fire rating of up to 4 hours and the additional benefit of containing acoustic properties for sound deadening applications.

ESC Code	Description	Size	Type	Colour	Application	UOM
ZBFRA	Sabre Seal FRA Sealant - White - 300ml	300ml	Caulk Tube	White	Filler and Sealant for Painting & Decorating	Tube



Sabre Seal MB Non Skinning Seal

Sabre Seal MB is a one component, nondrying polybutene rubber based mastic that does not harden but rather remains permanently soft and paste-like. Sabre Seal MB has excellent resistance to water vapour transmission. Can be used in the installation of coolrooms and prefabricated construction.

ESC Code	Description	Size	Type	Colour	Application	UOM
ZBMBW	Sabre Seal MB Non Skinning Seal - White - 300ml	300ml	Caulk Tube	White	Commonly used in Coolroom and Prefabricated Construction	Tube



Sabre Bond SMP60

SMP60 is a high stress structural bonding, neutral adhesive/sealant. Flexible class A (+/-50%) joint movement. Ideal for production/repair of heavy duty interior/exterior bonded applications, including hightraffic flooring, transport, production industry and building construction.

ESC Code	Description	Size	Type	Colour	Application	UOM
ZBSMP60GRY	Sabre Bond SMP60- Grey - 290ml	290ml	Caulk Tube	Grey	Industrial Interior / Exterior Bonding UV Stabilised	Tube
ZBSMP60BLK	Sabre Bond SMP60- Black - 290ml	290ml	Caulk Tube	Black	Industrial Interior / Exterior Bonding UV Stabilised	Tube
ZBSMP60BWHT	Sabre Bond SMP60- White - 290ml	290ml	Caulk Tube	White	Industrial Interior / Exterior Bonding UV Stabilised	Tube



Sabre Foams and Wipes

Sabre Fix PS Adhesive

Sabre Fix PS is a premium grade, solvent-based panel construction adhesive, that is fast-drying and builds up strength quickly on contact. Suitable for use on most common construction materials and is safe for use on polystyrene panels.

ESC Code	Description	Size	Type	Colour	Application	UOM
ZBNN	Sabre Fix PS Adhesive - Beige - 375ml	375ml	Caulk Tube	Beige	Premium Grade Construction Adhesive	Tube



Sabre Fix Expanding Foam

SabreFix SF is a one-component, ready to use polyurethane straw foam for various building applications, e.g. filling of holes, sealing of joints and penetrations, thermal and acoustic insulating. Ensures good results in winter conditions.

ESC Code	Description	Size	Type	Colour	Application	UOM
ZBEF	Sabre Fix SF Handheld Expanding Foam - Polyurethane - 750ml	750ml	Can	Yellow	Polyurethane foam for most building applications	Can



Sabre Fix FRF Fire-Rated Expanding Foam

SabreFix FRF is a professional fire protection foam with low post expansion for demanding users. Good resistance to moisture and mould. Fast curing and gives great results at low temperatures. Cured foam is a good temperature and sound insulator.

ESC Code	Description	Size	Type	Colour	Application	UOM
ZBFRF	Sabre Fix FRF Fire-Rated Expanding Foam 750ml	750ml	Can	Pink	Polymer fire rated foam for most building applications	Can



Sealant Caulking Gun

Sabre Caulking Gun 1-component manual bead dispenser for 300-375ml cartridges.

ESC Code	Description	UOM
ZBCGP	Sabre Heavy Duty Caulking Gun 300-375ml	ea



Sabre Thunder Wipes

Tackle tough mess rapidly! The superior cleaning wipe for removing paint, adhesive, sealant, bitumen, silicone, uncured PU foam, epoxy, polyurethane, resin, oil, ink and grease from tools, hands and surfaces. Proudly Kiwi owned, Sabre Thunder Wipes are trusted by tradies for everyday trade and DIY use.

ESC Code	Description	UOM
TW100	Thunder Wipes Trade Tub 100 Tub - 6 Tubs Per Carton	Tub



Rags and Adhesives

Cleaning Rags

Elmark Sterilised 100% Cotton Cleaning Rags. Assorted Colours and lint free.

ESC Code	Description	UOM
RAG2	2kg Cleaning Rags	bag
RAG5	5kg Cleaning Rags	bag



Sabre Instant Glue

ESC Code	Description	Size	Recommended Surfaces	UOM
SIG20G	Sabre Instant Glue 20g	20g	Insenstive to acidic surfaces, Leather, wood, and metals	ea



EverBuild Epoxy Bond

ESC Code	Description	Size	Recommended Surfaces	UOM
BEB	EverBuild Epoxy Bond	24ml	Industrial Strength 2 Part Epoxy Resin for bonding Rigid Plastics, Wood, Metal, Glass, Concrete, Ceramics	ea



Epoxy Compounds - Two Part

2 part epoxy compound formulated specifically for encapsulating electric cable joints.

ESC Code	Description	UOM
PLASE400	Plasticast E Two Part Epoxy Compound 400ml Pack	ea
PLASE1	Plasticast E Two Part Epoxy Compound 1 Litre Pack	ea
PLASE2	Plasticast E Two Part Epoxy Compound 2 Litre Pack	ea
PLASE4	Plasticast E Two Part Epoxy Compound 4 Litre Pack	ea



Instant Spray Contact Adhesive

Adheres to most common surfaces (Internal and external use)

ESC Code	Description	Colour	Qty Per Pkt	UOM
STAK	Instant Spray Contact Adhesive Stick2 500ml	Clear	1	ea



Paints and Lubricants

ELMARK Cable Pulling Lubricant

Easy application. Compatible with a wide range of cable jackets and conduits. Non-toxic and non-flammable. Specially formulated for the electrical industry. Made in New Zealand.

ESC Code	Description	UOM
ELCPL001	Elmark Cable Pulling Lubricant 1 Litre Bottle	ea
ELCPL020	Elmark Cable Pulling Lubricant 20 Litre Pail	ea



Marker Paint

These quick-drying acrylic all angle marker paints which are lead and xylene-free formulated are designed to produce fluorescent marks and lines on a range of indoor and outdoor surfaces including concrete, tarmac, wood, and composites.

ESC Code	Description	Colour	Qty Per Pkt	UOM
PSMP500WH	Marker Paint 500ml All Angle Aerosol Hi-Viz	White	1	ea
PSMP500PUR	Marker Paint 500ml All Angle Aerosol Hi-Viz	Purple	1	ea
PSMP500PK	Marker Paint 500ml All Angle Aerosol Hi-Viz	Pink	1	ea
PSMP500BL	Marker Paint 500ml All Angle Aerosol Hi-Viz	Blue	1	ea
PSMP500GN	Marker Paint 500ml All Angle Aerosol Hi-Viz	Green	1	ea
PSMP500YL	Marker Paint 500ml All Angle Aerosol Hi-Viz	Yellow	1	ea
PSMP500OR	Marker Paint 500ml All Angle Aerosol Hi-Viz	Orange	1	ea
PSMP500RD	Marker Paint 500ml All Angle Aerosol Hi-Viz	Red	1	ea





ESC Sales and Service

For any quotations, pricing and availability, returns and claims and technical enquiries, please contact our Customer Service Team.

ESC Customer Service

Phone: (+64) 7 849 9119

Toll Free Phone: 0800 350 000

Email: sales@electrical.co.nz

Website: www.electrical.co.nz

ESC Representatives Contact

Auckland / North Sales Representative

P 027 807 9007

Auckland Sales Representative

P 027 487 8093

Lower North Island Sales Representative

P 027 442 5774

Lower South Island Sales Representative

P 027 222 3551

Waikato Sales Representative

P 027 329 4801

Bay of Plenty Sales Representative

P 027 366 0690

Upper South Island Sales Representative

P 027 487 8036

ELECTRICAL SUPPLY CORP



38D Northway Street
Te Rapa, Hamilton, 3200
www.electrical.co.nz

sales@electrical.co.nz
+64 7 849 9119
0800 350 000