

SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

Product: Sabre Seal GP Multipurpose Gap Filler

Product Use: Sealant – Professional use only

Restrictions of use: Refer to Section 15

New Zealand Supplier: Sabre Adhesives Ltd Address: 40-42 Cambridge Street Levin, 5510, New Zealand

164 (0)6 266 0007

Telephone: +64 (0)6 366 0007

Emergency No: 0800 764 766 (National Poison Centre)

Australian Supplier: Sabre Adhesives Ltd

Address: Level 6, 10 Herb Elliot Avenue,

Sydney, NSW, 2127

Telephone No: +61 2 9098 8244

Emergency No: 13 11 26 (National Poison Line)

Date SDS Issued: 9 February 2022

Section 2. Hazards Identification

Australia:

NOT Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia

New Zealand:

Not classified as hazardous according to Regulation (EC) No. 1272/2008 which meets New Zealand jurisdiction criteria as per EPA Hazardous Substances (Classification) Notice 2020.

Label Elements:

EUH-statements

EUH208 - Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl 2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Section 3. Composition of hazardous Ingredients

Ingredients	Wt%	CAS NUMBER.
reaction mass of 5-chloro-2-methyl-	< 0.1	55965-84-9
2H-isothiazol-3- one and 2-methyl-		
2H-isothiazol-3-one (3:1)		
Non-hazardous Ingredients	To 100%	_

Section 4. First Aid Measures

Routes of Exposure:

Product Name: Sabre Seal GP Multipurpose Gap Filler

If in Eyes Rinse cautiously with water for several minutes. If eye irritation persists:

Get medical advice.

If on Skin Rinse skin with water/shower. If skin irritation occurs: Get medical advice/

attention.

If Swallowed Never give anything by mouth to an unconscious person. Consult a doctor

if you feel unwell.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if

breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

Symptoms: None known.

Section 5. Fire Fighting Measures

Hazard Type	Non Flammable.
Hazards from products	Toxic fumes may be released.
Suitable Extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.
Precautions for firefighters and special protective clothing	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
HAZCHEM CODE	None allocated.

Section 6. Accidental Release Measures

Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Ventilate spillage area. Take up liquid spill into absorbent material. Place into suitable sealed containers and follow state or local authority regulations for disposal of the waste.

Section 7. Handling and Storage

Handling:

- Ensure good ventilation of the work station.
- Wear personal protective equipment.
- Do not eat, drink or smoke when using this product.
- Always wash hands after handling the product.

Storage:

• Store in a well-ventilated place. Keep cool.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

TWA STEL
Substance ppm mg/m³ ppm mg/m³

No ingredients have exposure limits

Product Name: Sabre Seal GP Multipurpose Gap Filler

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2020 12TH EDITION.

Engineering Controls

Ensure good ventilation of the work station.

Personal Protection Equipment





Eyes	Wear safety glasses.
Hands and Skin	Wear protective gloves and clothing.
Respiratory	In case of insufficient ventilation, wear suitable respiratory equipment.

Section 9 Physical and Chemical Properties

Appearance	Liquid - Paste	
Colour	White	
Odour	Barely perceptible odour.	
Odour Threshold	Not available	
pН	7.8 - 8.8	
Boiling Point	Not available	
Melting Point	Not available	
Freezing Point	Not available	
Flash Point	Not available	
Flammability	Not flammable	
Upper and Lower	Not available	
Explosive Limits		
Vapour Pressure	Not available	
Relative Density	1.57	
Solubility in water	Not available	
Partition Coefficient:	Not available	
Auto Flammability	Not available	
Oxidising	Not available	
Viscocity	Not available	
Kinematic Viscosity	Not available	
% Volotile	Not available	
VOC content	≈ 19 g/l	

Section 10. Stability and Reactivity

Stability of Substance	Stable under normal conditions.
Conditions to Avoid	None known.
Incompatible Materials	None known.
Hazardous Decomposition	Under normal conditions of storage and use, hazardous
Products	decomposition products should not be produced.

Section 11 Toxicological Information

Product Name: Sabre Seal GP Multipurpose Gap Filler

Acute Effects:

Swallowed	Not applicable.	
Dermal	Not applicable.	
Inhalation	Not applicable.	
Eye	Not applicable. pH: 7.8 – 8.8	
Skin	Not applicable. pH: 7.8 – 8.8	

Chronic Effects:

Carcinogenicity	Not applicable.	
Reproductive	Not applicable.	
Toxicity		
Germ Cell	Not applicable.	
Mutagenicity		
Aspiration	Not applicable.	
STOT/SE	Not applicable.	
STOT/RE	Not applicable.	

Section 12. Ecotoxicological Information

The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Product:	
Persistence and degradability	No data available
Bioaccumulation	No data available
Mobility in Soil	No data available
Other adverse effects	No data available

Section 13. Disposal Considerations

Disposal Method: Empty packaging completely prior to disposal. Place recovered product

into an appropriate waste container for disposal in accordance with local

regulations.

Precautions: None known.

Section 14 Transport Information

This product is NOT classified as a Dangerous Good for transport in Australia; ADG 7 This product is NOT classified as a Dangerous Good for transport: NZS 5433:2012

Section 15 Regulatory Information

Australia:

NOT Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia

Poison Schedule No: Not Scheduled

New Zealand:

Not classified as hazardous according to Regulation (EC) No. 1272/2008 which meets New Zealand jurisdiction criteria as per EPA Hazardous Substances (Classification) Notice 2020.

Product Name: Sabre Seal GP Multipurpose Gap Filler

Section 16 Other Information

Glossary

Cat Category

EC50 Median effective concentration.
EEL Environmental Exposure Limit.
EPA Environmental Protection Authority

HSNO Hazardous Substances and New Organisms.

HSW Health and Safety at Work.

LC50 Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.

LD50 Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible authority.

UEL Upper Explosive Level WES Workplace Exposure Limit

References:

Australia:

- 1. Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.
- 2. Standard for the Uniform Scheduling of Medicines and Poisons.
- 3. Australian Code for the Transport of Dangerous Goods by Road & Rail.
- 4. Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.
- 5. Workplace exposure standards for airborne contaminants, Safe work Australia.
- 6. American Conference of Industrial Hygienists (ACGIH).
- 7. Globally Harmonised System of classification and labelling of chemicals.

New Zealand:

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices Nov 2020.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2012
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made. Please contact the Australian Manufacturer or New Zealand distributor, if further information is required.

Issue Date: 9 February 2022 Review Date: 9 February 2027

Product Name: Sabre Seal GP Multipurpose Gap Filler