

ELMARK – 316 STAINLESS STEEL CABLE TIES – ROLLER BALL

ELMARK range of roller type stainless steel cable is simple in construct and are easy to install. Engineered to perfection, these roller blades are used in various industries like construction, petrochemicals, fire protection etc.

Stainless ties offer a super strong, long lasting fireproof option and perfect choice for hostile environments, offers high levels of corrosion and UV resistance, so it withstands extreme weather conditions and heat withstand up to +530°C

Features:

- This roller ball design tie are self locking and very easy to install.
- Fixing can be done by hand, tool & both.

Specification:

- Min. loop tensile strength 4.6mm width 44.5kg
- Min. loop tensile strength 7.9mm width 113.6kg

Operating Temperature:

• -80°C to +538°C

Applications:

 Construction, Automobile, Offshore, Petro-Chemical Industries, Fire Protection, Aerospace, Flame Proof Installation etc.

ESC CODE	LENGTH	WIDTH	Bundle Dia	Tensile Strength	Pkt Qty	UOM
			Dia	Suengui		
SSRB100	100mm	4.6mm	20mm	44kg	100	Pkt
SSRB150	150mm	4.6mm	45mm	44kg	100	Pkt
SSRB200	200mm	4.6mm	50mm	44kg	100	Pkt
SSRB360	360mm	4.6mm	102mm	44kg	100	Pkt
SSRB520	520mm	4.6mm	152mm	44kg	100	Pkt
SSRB200H	200mm	7.9mm	50mm	113kg	50	Pkt
SSRB360H	360mm	7.9mm	102mm	113kg	50	Pkt
SSRB520H	520mm	7.9mm	152mm	113kg	50	Pkt



Environmental guide

Environmental Properties				
	Resistance Factors 1=Poor 5=Excellent			
Flammability	5			
Fresh Water	5			
Organic Solvents	5			
Oxidation at 500C	5			
Sea Water	5			
Strong Acid	5			
Strong Alkalis	5			
UV	5			
Wear	4			
Weak Acid	5			
Weak Alkalis	5			