

PRODUCT DATASHEET

LED Value Weatherproof Batten 42 W 4000 K EM

LED VALUE WEATHERPROOF BATTEN EMERGENCY | Weatherproof batten family with a wide range of wattage, sizes and emergency lighting function



Areas of application

- Car parks and underpasses
- Garages

Product benefits

- Homogeneous light output
- High-power LED for high light output

Product features

- Available with color temperature: 3,000 K, 4,000 K, 6,500 K
- Average lifespan: 50,000 h
- Type of protection: IP65



TECHNICAL DATA

Electrical data

Nominal wattage	42.00 W
Operating mode	Integrated LED driver
Nominal voltage	220...240 V
Nominal current	202 mA
Power factor λ	0,90
Total harmonic distortion	< 25 %

Photometrical data

Color temperature	4000 K
Luminous flux	4200 lm
Luminous efficacy	100 lm/W
Light color (designation)	Cool White
Standard deviation of color matching	6 sdc _m
Color rendering index Ra	80

Light technical data

Beam angle	112 °
------------	-------

Dimensions & weight

Length	1265.00 mm
Height	92.00 mm
Width	130.00 mm
Product weight	2350.00 g

Colors & materials

Body material	Polycarbonate (PC)
Product color	Gray/White
Housing color	Gray/White
Cover material	Polycarbonate (PC)

Lifespan

Lifespan L70/B50 at 25 °C	30000 h
---------------------------	---------

Additional product data

Mounting type	Surface
---------------	---------

Mounting location	Ceiling
-------------------	---------



Capabilities

Dimmable	No
Type of connection	Screw terminal
LED module replaceable	Not replaceable

Certificates & standards

Protection class IK (shock resistance)	IK08
Protection class	I
Type of protection	IP65

DOWNLOAD DATA

DOWNLOAD DATA	
	Tender documents Tender Text 4058075396586
	IES file (IES) LDVAL WP 1200 IP65 W 42W EM

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075396586	Folding box 1	1,267 mm x 130 mm x 93 mm	2677.00 g	15.32 dm ³
4058075396593	Shipping box 6	1,281 mm x 274 mm x 304 mm	17385.00 g	106.70 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.