

## INFINITY

EN

The INFINITY family is made up of continuous light linear structures with a variety of installations and endless configurations. It exists in a wall, suspended, recessed and surfaced version.

Configure fully customizable spaces with continuous lighting lines. Developed for projects that use the three dimensions of a space. INFINITY stands out for being a lighting system that does not limit the creativity of the lighting designer.

ES

La familia INFINITY está formada por estructuras lineales de luz continua con diversidad de instalaciones y un sinfín de configuraciones. Existe en versión aplique, suspendida, empotrable y adosada.

Configura espacios totalmente personalizables con líneas continuas de iluminación. Desarrollado para proyectos que utilizan las tres dimensiones de un espacio. INFINITY destaca por ser un sistema de iluminación que no limita la creatividad del diseñador de iluminación.

FR

La famille INFINITY se compose de structures linéaires de lumière continue avec une diversité d'installations et un nombre infini de configurations. Il est disponible en version murale, suspendue, encastrée et en saillie.


Permet de configurer des espaces entièrement personnalisables avec des lignes d'éclairage continues. Développé pour les projets qui utilisent les trois dimensions d'un espace. INFINITY se distingue comme un système d'éclairage qui ne limite pas la créativité du concepteur d'éclairage

IT

La famiglia INFINITY è composta da strutture lineari di luce continua con una diversità di installazioni e un numero infinito di configurazioni. È disponibile nelle versioni a parete, a sospensione, a incasso e a superficie.

Configura spazi completamente personalizzabili con linee continue di illuminazione. Sviluppato per progetti che utilizzano tutte e tre le dimensioni di uno spazio. INFINITY si distingue come un sistema di illuminazione che non limita la creatività del lighting designer.

# Infinity Air Opal



## Technical information / Información técnica:

Index Protection / Índice de protección:	IP20
Driver:	Included / Incluido
CRI:	>90
Temperature / Temperatura:	2700K / 3000K / 4000K / Tuneable White
Lifetime / Tiempo de vida:	50.000h
Technology / Tecnología:	LED
Guarantee / Warranty:	5 years / 5 años
Class / Clase:	I
Voltage / Voltaje:	230V
Step McAdam:	3-SDCM

## Model:

	Colour	CRI/Temp.	Led	Dimming	Emergency
16130-	0 White	H 927	L 7705 lm / 65W	- On-Off	- No Emergency
	1 Black	E 930	H 14135 lm / 119W	D* Dali	EM Kit 1h (*)
	2 Grey	F 940		B* Bluetooth	
				C Cord Switch	
				I Intelligent (**)	


(\*) Only for low versión

(\*\*) Only available in Low output

\* Asterisk indicates the combination Tuneable White

\*\*With the Intelligent Dimming system, the lenght of the luminaire is +50mm

## Infinity Air Microprismatic 1693mm 16130-



Quality certificates:



# Infinity Down



## Technical information / Información técnica:

Index Protection / Índice de protección:	IP43
Driver:	Included / Incluido
CRI:	>90
Temperature / Temperatura:	2700K / 3000K / 4000K / Tuneable White
Lifetime / Tiempo de vida:	50.000h
Technology / Tecnología:	LED
Guarantee / Garantía:	5 years / 5 años
Class / Clase:	I
Voltage / Voltaje:	230V
Step McAdam:	3-SDCM


## Model:

	Colour	CRI/Temp.	Led	Dimming	Emergency
16108-	0 White	H 927	L 6164 lm / 52W	- On-Off	- No Emergency
	1 Black	E 930	H 11308 lm / 95,2W	D* Dali	EM Kit 1h (*)
	2 Grey	F 940	A* 8600-9120 lm / 56,8W	B* Bluetooth	
		T* 827-865			

(\*) Only for low versión

\* Asterisk indicates the combination Tuneable White

16108-  
Infinity Down Opal IP43 2253mm



Quality certificates:



# Infinity Air



## Technical information / Información técnica:

Index Protection / Índice de protección:	IP20
Driver:	Included / Incluido
CRI:	>90
Temperature / Temperatura:	2700K / 3000K / 4000K / Tuneable White
Lifetime / Tiempo de vida:	50.000h
Technology / Tecnología:	LED
Guarantee / Garantía:	5 years / 5 años
Class / Clase:	I
Voltage / Voltaje:	230V
Step McAdam:	3-SDCM

## Model:


	Colour	CRI/Temp.	Led	Dimming	Emergency
16138-	0 White	H 927	L 6164 lm / 52W	- On-Off	- No Emergency
	1 Black	E 930	H 11308 lm / 95,2W	D* Dali	EM Kit 1h
	2 Grey	F 940	A* 8600-9120 lm / 56,8W	B* Bluetooth	
		T* 827-865		C Cord Switch	
				I Intelligent	

(\*) Only for low versión

\* Asterisk indicates the combination Tuneable White

\*\*With the Intelligent Dimming system, the length of the luminaire is +50mm

## Infinity Air Microprismatic 2253mm 16138-



## Quality certificates:







# NEXIA

## INFINITY TRIMLESS DOT

Aluminium extrusion LED luminaire for recess in ceiling.






16709-		INFINITY DOT RECESSED				
Colour	CRI / Temp.	Angle	Led	Dimming	Class	
0 White	H 927	1 12°	6 5580lm/45W	- No Dimming	I	
1 Black	E 930	3 34°	9 9450lm/90W	D Dali		
2 Grey	F 940	4 48°				

1250g   
 IP 20   
 CRI=90   
 50.000h 230V   
 DRIVER   
 LED

### DESCRIPTION

INFINITY creates completely customized spaces through continuous lines of lighting. It has been developed for those projects that use the three dimensions of a space. INFINITY is remarkable as a lighting system that does not limit the creativity of a lighting designer. UGR<19.



QUALITY CERTIFICATES:






# NEXIA

## INFINITY TRIMLESS DOT

Aluminium extruded LED suspended light.








16620-		INFINITY DOT AIR				
Colour	CRI / Temp.	Angle	Led	Dimming	Class	
0 White	H 927	1 12°	7 6200lm/50W	- No Dimming	I	
1 Black	E 930	3 34°	9 10500lm/100W	D Dali		
2 Grey	F 940	4 48°				


1320g   
 IP 20   
 CRI=90   
 50.000h 230V   
 DRIVER   
 LED

### DESCRIPTION

INFINITY creates completely customized spaces through continuous lines of lighting. It has been developed for those projects that use the three dimensions of a space. INFINITY is remarkable as a lighting system that does not limit the creativity of a lighting designer. UGR<19.



QUALITY CERTIFICATES:





# NEXIA


## INFINITY TRIMLESS DOT

Aluminium extruded LED luminaire not framed for mounting to the ceiling.






16610-		INFINITY DOT DOWN				
Colour	CRI / Temp.	Angle	Led	Dimming	Class	
0 White	H 927	1 12°	7 6200lm/50W	- No Dimming	I	
1 Black	E 930	3 34°	9 10500lm/100W	D Dali		
2 Grey	F 940	4 48°				

1320g   
 IP 20   
 CRI=90   
 50.000h 230V   
 DRIVER   
 LED



### DESCRIPTION

INFINITY creates completely customized spaces through continuous lines of lighting. It has been developed for those projects that use the three dimensions of a space. INFINITY is remarkable as a lighting system that does not limit the creativity of a lighting designer. UGR<19.



QUALITY CERTIFICATES:

