

PRODUCT OVERVIEW

Stanilite® emergency lighting


Economy range





LED TECHNOLOGY

- Long life LED, up to 100,000 hours
- Energy saving
- No maintenance



EXTENSIVE RANGE

- Spitfire® Recessed
- Exit blade recessed
- Exit slide connect
- Exit wall/ceiling mount
- Batten



LITHIUM IRON PHOSPHATE BATTERY

- High performances
- Safest and most reliable battery technology
- Environmentally friendly



COMPLIANCE TO LATEST AS/NZS 2293.3:2018

- Classification in line with new spacing table
- Extensively tested fittings

3

3 YEAR WARRANTY

- Complete 3 year warranty for all products
- Stanilite quality products

Industry leading LED technology and Lithium iron phosphate battery will ensure customers have access to technically superior products and fully compliant to the latest AS/NZS 2293.3:2018 standard.

Stanilite® Economy range: the most cost effective and reliable fittings on the market to perform the six monthly mandatory testing of emergency lighting.

Stanilite®

Economy range



Spitfire® Recessed

- Lithium iron phosphate battery
- Flex and plugs included
- 100,000 hours LEDs
- D40 photometric classification
- White adaptors included to convert standard 94mm lamp head to 145mm diameter

Description	Order code	Replacement of
Spitfire recessed	ECOSPITFIRE	ESFLED



Exit blade recessed

- Lithium iron phosphate battery
- 50,000 hours LEDs
- One box solution - includes pictograph for single/double sided installation

Description	Order code
Exit blade recessed	ECOEXITBLADEREC



Batten

- AC / EM version
- Lithium iron phosphate battery
- 50,000 hours LEDs
- Up to 3,800 Lumens
- IK06 impact rating
- Complete with LED strips and diffuser
- Insect proof sealed LED module
- Lanyard attached to the lamp and base body for easy installation

Description	Order code	Replacement of
Batten	ECOBAT4AC	ECBTx36AC
	ECOBAT4EM	ECBTx36M



—

Exit slide connect

- Lithium iron phosphate battery
- 50,000 hours LEDs
- Universal wall/ceiling mounting, can also be rod or wire suspended
- One box solution - includes diffuser and pictograph for single/double sided installation

Description	Order code	Replacement of
Exit slide connect	ECOEXIT1BOX	EELED



—

Exit wall mount

- Lithium iron phosphate battery
- 50,000 hours LEDs
- One box solution - includes diffuser and pictograph for single sided installation

Description	Order code	Replacement of
Exit wall mount	ECOEXITWALL	ECOLEDWM



—

Exit ceiling mount

- Lithium iron phosphate battery
- 50,000 hours LEDs
- One box solution - includes diffuser and pictograph for single/double sided installation

Description	Order code	Replacement of
Exit ceiling mount	ECOEXITCEILING	ECOLEDCEM



—

Exit base and diffusers

Base

- Lithium iron phosphate battery
- 50,000 hours LEDs

Diffusers

- Includes pictograph for single/ double sided installation

Description	Order code	Replacement of
Exit base	ECOEXITBASE	ECOLED
Diffuser wall mounted	ECOEXITDIFWM	31-PEWM-AU
Diffuser ceiling mounted	ECOEXITDIFCM	31-PECMx