Technical data sheet

Exit LED edgelit Platinum exit LED edgelit recessed





Range

Platinum range

Product group

Exit LED edgelit

Features

- 5 year warranty
- High emergency classification
- LED technology 100,000 hours plus lamp life
- Low power consumption and LED light source for reduced operation and maintenance costs
- Advanced technology Lithium iron phosphate battery for long life and low maintenance
- Advanced pulsetime battery charging
- Architecturally pleasing slim line design
- One-box solution, overall light weight and snap n' clip mechanism allows for quick and easy installation
- Suits ceiling thickness 1mm-19mm
- 2m flex and plug included
- Includes all pictograph diffuser options
- Adaptor plate available for use when upgrading older legend exit signs - see accessories













Standard products

Catalogue no.	Description	
PLRLEDP	LED platinum legend recessed pictograph edgelight	

Accessories

Catalogue no.	Description	
PLRLEDADAPTOR	Cover plate for retrofitting	

Spare parts

Catalogue no.	Description	
03-01304P	Battery LiFePO4 3.2V 1.5Ah	

Dimensions

Item	Length	Width
Face plate	370mm	120mm
Ceiling cutout	348mm	97mm

Weight

Model	Weight
Standard	1.9kg

Construction

Part	Construction
Body and diffuser	Plastic

Light source

Model	Light source
Standard	Multiple LED 0.7W

Power consumption

Model	Power consumption	
Standard	2.4W	

Note: Preliminary results

Photometrics

Model	Class	Classification
Standard	Co	D3.2
	C90	E2

Note: Preliminary results

Note: Designed to comply with AS2293 and meet relevant Australian EMC standards





For more information please contact:

ABB Australia Pty Limited

Phone: 1300 666 595 Fax: 1300 666 594

E-mail: AU-ABB-Stanilite@abb.com

www.stanilite.com.au

Note: We reserve the right to make technical changes or modify the contents of this document without prior notice. With regard to purchase orders, the agreed particulars shall prevail. ABB does not accept any responsibility whatsoever for potential errors or possible lack of information in this document.

We reserve all rights in this document and in the subject matter and illustrations contained therein. Any reproduction, disclosure to third parties or utilisation of its contents – in whole or in parts – is forbidden without prior written consent of ABB.

Copyright © 2016 ABB All rights reserved



