

PRODUCT-DETAILS

Company of the local division of the local d

## TY5234MX CBL TIE 18LB 14IN UV BLACK NYLON

| Extended Product Type                                      |  | TY5234MX  |
|--|--|---|
| Product ID   |  | 7TAG009010R0011   |
| EAN  |  | 5414363065333   |
| Catalog Description  | CBL TI   | E 18LB 14IN UV BLACK NYLON                                      |
| Long Description   | Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures<br>F), Weather and Ultraviolet Resistant for Ir<br>UL/EN/CSA62275 Type 2/21 Rated for AH-2 Plenum, Leng<br>of 2.3mm (0.09 Inches), Thickness of 1.1mm (0.04 Inches | ndoor and Outdoor Applications, gth of 357mm (14 Inches), Width |
|  |  |   |
| Ordering   |  |   |
|  |  | 5414363065333   |
|  |  | 5414363065333<br>786210839387                                   |
| EAN<br>UPC   |  |   |
|  |  | 786210839387  |
| EAN<br>UPC<br>Country of Origin                            |  | 786210839387<br>United States (US)                              |
| EAN<br>UPC<br>Country of Origin                            |  | 786210839387<br>United States (US)                              |
| EAN<br>UPC<br>Country of Origin<br>Selling Unit of Measure |  | 786210839387<br>United States (US)                              |

Subject to change without notice

|                     | 2.3 mm |
|---------------------|--------|
| Product Net Depth / | 14 in  |
| Length              | 357 mm |

| Container Information             |                      |
|-----------------------------------|----------------------|
| Package Level 1 Units             | 100 EA               |
| Package Level 1 Width             | 85.09 mm<br>3.35 in  |
| Package Level 1 Height            | 60.96 mm<br>2.4 in   |
| Package Level 1 Depth /<br>Length | 454.66 mm<br>17.9 in |
| Package Level 2 Units             | 500 EA               |
| Package Level 2 Width             | 132.08 mm<br>5.2 in  |
| Package Level 2 Height            | 144.78 mm<br>5.7 in  |
| Package Level 2 Depth /<br>Length | 454.66 mm<br>17.9 in |
| Package Level 3 Units             | 96000 EA             |
| Package Level 3 Width             | 0 mm<br>0 in         |
| Package Level 3 Height            | 0 mm<br>0 in         |
| Package Level 3 Depth /<br>Length | 0 mm<br>0 in         |

| Technical UL/CSA                  |     |
|-----------------------------------|-----|
| Flammability According to<br>UL94 | V-2 |

| Additional Information |  |
|------------------------|--|
| Brand / Label          | Ty-Rap   |
| Bundle Diameter        | 0.06 to 4.2 in<br>1.5 to 102 mm  |
| Color                  | Black  |
| Effective Date         | 19710405   |
| Lock Type              | Stainless Steel Barb   |
| Material               | Nylon/Polyamide 6.6  |
| Product Name           | Other: Other   |
| Product Type           | High Performance   |
| Special Functions      | Low profile head is designed to prevent snags on uneven surfaces and easier<br>to pull through bulkheads. Non-magnetic stainless steel locking device insures<br>both maximum strength and the right tightness every time. |
| Tensile Strength       | 18 lb<br>80 N  |
| Thickness              | 0.04 in<br>1 mm  |

| Certificates and Declarations        |                 |
|--------------------------------------|-----------------|
| Data Sheet, Technical<br>Information | TDS000570       |
| Declaration of Conformity<br>- CE    | 9AKK107492A9841 |

| Classifications                       |                           |
|---------------------------------------|---------------------------|
| ETIM 6                                | EC000046 - Cable tie      |
| ETIM 7                                | EC000046 - Cable tie      |
| ETIM 8                                | EC000046 - Cable tie      |
| ETIM 9                                | EC000046 - Cable tie      |
| UNSPSC                                | 39121703                  |
| WEEE Category                         | Product Not in WEEE Scope |
| IDEA Granular Category<br>Code (IGCC) | 5034 >> Cable ties        |

**Categories** 

Low Voltage Products and Systems  $\rightarrow$  Installation Products  $\rightarrow$  Wire Management and Connectivity  $\rightarrow$  Cable Ties